



LED Filament Lamp Series

TCP's Filament style lamps combine LED technology with the elegance of an exposed filament aesthetic.

Limitless options for the following applications:

- Table Lamps
- Floor Lamps
- Sconces
- Ceiling Fixtures
- Chandeliers
- Outdoor Fixtures
- General Lighting

Great features and benefits:

- Energy efficient: Up to 85% less energy than halogen lamps
- Very low heat generation
- Long life: 15,000 hours
- Unique filament LED configuration
- UL approved for damp location
- Uniform color



LED
we know light.™

TCP

325 Campus Dr. | Aurora, Ohio 44202 | P: 800-324-1496 | tcp.com

©TCP SEP 2017/WF76204





LED Filament Lamp Specifications

LED	120 Volts	15,000 Hour Life
------------	------------------	-------------------------


Applications:

Ideal for applications where uniform multi-directional light output is required.

- ✦ Table Lamps
- ✦ Floor Lamps
- ✦ Sconces
- ✦ Ceiling Fixtures
- ✦ Chandeliers
- ✦ Outdoor Fixtures



Features	Benefits
Up to 85% less energy than halogen alternatives	Instant energy savings
Long life	Minimizes replacement and maintenance costs
Very low heat generation	Seemlessly blends into lighting applications
Unique filament style LED configuration	Combining the benefits of LED lighting with a traditional look
Filament Lamps UL approved for damp location unless otherwise noted— see rating below	Can be used outdoors when protected from elements; withstands humidity indoors/outdoors
ANSI construction compliant	Fits most general applications



Specifications

Input Line Voltage:	120 VAC
Input Power	See Chart
Input Line Frequency	50/60HZ
Minimum Starting Temp	-20°C
Maximum Operating Temp.....	40°C
CRI	80





LED Filament Lamp Specifications

Warranties and Certifications:	TCP Model	Description	Wattage	Incandescent Wattage Comparison	Lumens	Life (hours)	Color Temp	Base	Volt	LPW	CRI	MOL (inches)	DIA (inches)
3 YEAR WARRANTY* *Based on 12 hours use per day	Filament B11 (DECO)												
	LFB11C4027KDAB	B11 3.5W 27K E12 DIM CLEAR	3.5	25	300	15000	2700	E12	120	85.7	80	4.2	1.4
	LFB11C4025KAD	B11 3.5W 25K E12 DIM AMBER	3.5	25	270	15000	2500	E12	120	77.1	80	4.2	1.4
	LFB11C4025KAD★	BA11 3.5W 25K E12 DIM AMBER	3.5	40	270	15000	2500	E12	120	77.1	80	4.2	1.4
	LFB11C4027D★	B11 4.5W 27K E12 DIM CLEAR	4.5	40	350	15000	2700	E12	120	77.8	80	3.8	1.4
	LFB11C4022AD★	B11 4.5W 22K E12 DIM AMBER	4.5	40	300	15000	2200	E12	120	66.7	80	3.8	1.4
	LFB11C6025KAD	B11 5W 25K E12 DIM AMBER	5	60	400	15000	2500	E12	120	80.0	80	4.2	1.4
	LFB11C6027D★	B11 5W 27K E12 DIM CLEAR	5.5	60	500	15000	2700	E12	120	90.9	80	4.2	1.4
LFB11C6022AD★	B11 5W 22K E12 DIM AMBER	5.5	60	450	15000	2200	E12	120	90.0	80	4.2	1.4	
Filament A19													
LFA4025AD★	A19 5W 25K E26 DIM AMBER	5	40	450	15000	2500	E26	120	90.0	80	4.0	2.3	
LFA6027D◆★	A19 7W 27K E26 DIM CLEAR	7	60	800	15000	2700	E26	120	114.3	80	4.2	2.4	
LFA6022AD★	A19 7W 22K E26 DIM AMBER	7	60	650	15000	2200	E26	120	114.3	80	4.0	2.3	
Filament ST19													
LFST192522AD◆★	ST19 4.5 22K E26 DIM AMBER	4.5	25	300	15000	2200	E26	120	66.7	80	5.8	2.5	
LFST2525KAD	ST19 2.7W 25K E26 DIM AMBER	2.7	25	210	15000	2500	E26	120	77.8	80	5.8	2.5	
LFST1940D◆★	ST19 4W 27K E26 DIM CLEAR	4	40	300	15000	2700	E26	120	75.0	80	4.9	2.2	
LFST4025KAD	ST19 5W 25K E26 DIM AMBER	5	40	400	15000	2500	E26	120	80.0	80	5.8	2.5	
Filament G25													
LFG254025KAD★	G25 3.5W 25K E26 DIM AMBER	3.5	40	300	15000	2500	E26	120	85.7	80	4.5	3.2	
LFG256025KAD	G25 5W 25K E26 DIM AMBER	5	60	500	15000	2500	E26	120	100.0	80	4.5	3.2	
Filament Tubes													
LFT6C2525AND★	T6 2W 25K E12 ND AMBER	2	25	160	15000	2500	E12	120	80.0	80	3.8	0.8	
LFT94025AND◆★	T9 4W 25K E26 ND AMBER	4	40	430	15000	2500	E26	120	107.5	80	5.2	1.2	

◆ Wet Location Rated ★ New Item

Dimmer Compatibility List:

ATTACHE LC-300
 LEVITON DSM10
 LEVITON TBLO3
 LEVITON IPL06
 LEVITON 6674
 LEVITON No.6672
 LEVITON 1K1305

LUTRON SCL-153PR-WH
 LUTRON SCL-153PH-WH
 LUTRON TGCL-153P
 LUTRON TG-600PH-WH
 LUTRON LG-600PH-WH
 LUTRON TGCL-153PH-WH
 LUTRON MACL-153MLH-AL

LUTRON MACL-153MR-WH
 LUTRON MACL-153MLRH-WH
 LUTRON D-600PH-DK**

**TCP continues to test our lamps on various dimmers and systems and will update this page as additional compatibility results are available.



TECHNOLOGY CAST IN A BEAUTIFUL LIGHT

For over 20 years, TCP has been designing, developing and delivering energy-efficient lighting into the market. Thanks to our cutting-edge technology and manufacturing expertise, we have shipped billions of high quality lighting products. With TCP, you can count on a lighting product that is designed to meet the needs of the market - that transforms your surroundings and envelopes you in warmth - lighting that generates beauty with every flip of the switch.

LED

For more information on the quality and care TCP can deliver, call us at **800.324.1496** or visit tcpi.com

325 Campus Dr. | Aurora, Ohio 44202 | P: 800-324-1496 | F: 877-487-0516