



LED Lighting Catalog

Fall 2013



SR Series Downlights



SR6™



Combines quality, aesthetics and efficiency to provide precise light distribution for exceptional visual comfort.

The SR6™ LED architectural downlight delivers up to 1800 lumens of exceptional 90+ CRI light with efficacy up to 75 lumens per watt. It features Light Source-Reflector Unity™, a highly-effective luminaire design approach that enables exceptional aperture aesthetics by eliminating before-lamp images and creating a uniform light distribution. Combined with Cree TrueWhite® Technology, the SR6 downlight delivers beautiful, high-quality light with greater optical control than ever before. Available in a variety of color temperatures, with high-quality anodized aluminum reflector finishes and out-of-the-box controls compatibility, the SR6 fixture is an ideal solution for downlighting.

BENEFITS

- Eliminate lamp-before lamp imaging
- Deep 45° shield angle
- Tight color consistency
- Integral controls compatibility
- Tool-less assembly

FEATURES

- Efficacy up to 75 LPW
- Utilizes Cree TrueWhite® Technology
- Active color management
- Standard 10-year limited warranty
- 75,000-hour rated life
- Standard 5% dimming

APPLICATIONS

- Airport, interior architectural, corporate campus, municipal, museum & amusement, restaurant & hospitality, retail & grocery

SR Series Downlights

Ordering Information

Example: **SR6H-A-120V + SR6E-12L-A-30K + SR6T-30-SSGC-FF-WW**








PRODUCT	PSU TYPE	VOLTAGE	CONTROLS
SR6H - 6" Housing	A	120V - 120 Volts 277V - 277 Volts	10V - 0-10V Controls

PRODUCT	LUMEN OUTPUT	INPUT POWER	COLOR TEMP.
SR6E - Light Engine	12L - 1200 Lumen Source 18L - 1800 Lumen Source	A	30K - 3000K 35K - 3500K 40K - 4000K

PRODUCT	SHIELD	REFLECTOR FINISH	FLANGE FINISH	OPTION
SR6T - 6" Trim	30 - 30° 45 - 45°	W - White C - Clear GR - Graphite BR - Bronze CG - Champagne Gold PE - Pewter WH - Wheat B - Black SSGC - Soft Satin Glow Clear SSGGR - Soft Satin Glow Graphite SSGBR - Soft Satin Glow Bronze SSGCG - Soft Satin Glow Champagne Gold SSGPE - Soft Satin Glow Pewter SSGWH - Soft Satin Glow Wheat SSGB - Soft Satin Glow Black	FF - Matching WF - White Paint	Blank - Standard WW - Wall Wash




*Ordering information is for reference only. Some product configurations are not available. Please consult spec sheets for specific product availability and for further details.

Reflector Options

							
SSGC Clear	SSGGR Graphite	SSGBR Bronze	SSGCG Champagne Gold	SSGPE Pewter	SSGWH Wheat	SSGB Black	W White

Dimensions

SR6™ DOWNLIGHT

	SR6™ Downlight 30° Shield Angle		SR6™ Downlight 45° Shield Angle
			

You May Also Be Interested In:



**ESSENTIA®
DOWNLIGHTS p.18**
Architectural Downlighting
Solutions



CS SERIES LINEAR p.58
Commercial Linear Solutions



CR SERIES TROFFERS p.40
High-Efficiency, Affordable Troffers