



Core & Coil (71A) HPS ~LT~ 200W

CORE & COIL HID HPS BAL 50W S68 120V KIT

The basic ballast is the open core and coil which is most often used as a component within a lighting luminaire. The core and coil also forms the nucleus of Philips Advance's five other ballast configurations.

Product data

General Information				
ANSI Code	S68			
Lamp Type	50W HPS			
Number of Lamps	1 piece/unit			
Circuit Type	R-HPF			
Ballast Type	Magnetic HID			
Base Model	71A7807B			
Core Size	2 5/8 x 2 3/16			
Suitable For Outdoor Use	Yes			
Ignitor Catalog Number	INTEGRAL			
Ignitor Temperature Rating	125°C			
Capacitor Value	20 MFD			
Capacitor Catalog Number	7C200M12RA			
Capacitor Requirements	120V			
Capacitor Temperature Rating	105°C			
Capacitor Diameter/Oval Dimensions	1.25 in			
Capacitor Height	2.75 in			
Automatic Restart	No			

Operating and Electrical				
Input Voltage	120 V			
Input Frequency	60 Hz			
Power (Rated) (Nom)	50 W			
Inp. Current (Open Circuit)	0.9 A			
Input Current (Starting)	0.95 A			
Input Current (Short Circuit)	1.45-2.2 A			
Secondary Short Circuit Current	1.45-2.2 A			
Constant Wattage Deviation	Within Trapezoid			
Ballast Factor (Nom)	1			
Power Factor (Nom)	0.90			
Nominal Open Circuit Voltage	120 V			
Input Current (Operating) (Nom)	0.55 A A			
Input Power (Nom)	62 W			
Rated Lamp Watts	50W W			
Wiring				
Wire Striplength	0.5 mm			
Wire Length By Color	12"			
Wire Type	Stranded			


Datasheet, 2015, November 29 data subject to change

Core & Coil (71A) HPS ~LT~ 200W

Remote Wiring Configuration Allowed	Yes			
Max Ballast-Lamp Distance Remote Wiring	2'			
Recommended Fuse Value	3 A			
Approval and Application				
Open Circuit Voltage Test (Volts)	114-126 V			
Approbation Marks	ULR CSA certificate RoHS Compliant			
Temperature Marking	A			
UL Recognized	Yes			
Hipot Test (1 Minute)	2000 V			
Hipot Test (2 Seconds)	2500 V			
UL Insulation Class	H(180°C)			
UL Temperature Code	1029A			

Product Data	
Order product name	CORE & COIL HID 71A7807001DE
EAN/UPC - Product	781087026274
Order code	71A7807001DB
Local order code	132092
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	1
Material Nr. (12NC)	913700500881
Net Weight (Piece)	0.894 kg

Dimensional drawing



HPS BAL 50W S68 120V KIT

Product	C1	C2	A1	A2	B1	B2
CORE & COIL HID 71A7807001DB	2.7 in	0.95 in	2.6 in	2.2 in	2.2 in	1.8 in

