



Core & Coil (71A) HPS ~LT~ 200W

CORE & COIL HID HPS BAL 100W S54 QUAD KIT

The basic ballast is the open core and coil which is most often used as a component within a lighting luminaire. The core and coil also forms the nucleus of Philips Advance's five other ballast configurations.

Product data

General Information				
ANSI Code	S54			
Lamp Type	100W HPS			
Number of Lamps	1 piece/unit			
Circuit Type	HX-HPF			
Ballast Type	Magnetic HID			
Base Model	71A8071			
Core Size	3 X 4 (2 LW)			
Suitable For Outdoor Use	Yes			
Ignitor Catalog Number	LI551-H4			
Ignitor Temperature Rating	105°C			
Capacitor Value	10 MFD			
Capacitor Catalog Number	7C100M30RA			
Capacitor Requirements	280V			
Capacitor Temperature Rating	105°C			
Capacitor Diameter/Oval Dimensions	1.65 in			
Capacitor Height	2.75 in			
Automatic Restart	No			

Operating and Electrical	
Input Voltage	120/208/240/277 V
Input Frequency	60 Hz
Power (Rated) (Nom)	100 W
Inp. Current (Open Circuit)	2.2/1.25/1.1/0.85 A
Input Current (Starting)	0.75/0.45/0.37/0.3 A
Input Current (Short Circuit)	0.6-0.9/0.35-0.55/0.3-0.45/0.29-0.43 A
Secondary Short Circuit Current	2.6-3.3 A
Constant Wattage Deviation	Within Trapezoid
Ballast Factor (Nom)	1
Power Factor (Nom)	0.90
Nominal Open Circuit Voltage	125 V
Input Current (Operating) (Nom)	1.15/0.67/0.58/0.5 A A
Input Power (Nom)	135 W
Rated Lamp Watts	100W W
Wiring	
Wire Striplength	0.5 mm
Wire Length By Color	12"
Wire Type	Stranded


Datasheet, 2015, December 24 data subject to change

Core & Coil (71A) HPS ~LT~ 200W

Remote Wiring Configuration Allowed	Yes		
Max Ballast-Lamp Distance Remote Wiring	2'		
Recommended Fuse Value	7/5/3/3 A		
Approval and Application			
Open Circuit Voltage Test (Volts)	110-130 V		
Approbation Marks	ULR CSA certificate RoHS Compliant		
Temperature Marking	E/F/E/D		
UL Recognized	Yes		
Hipot Test (1 Minute)	2000 V		
Hipot Test (2 Seconds)	2500 V		
UL Insulation Class	H(180°C)		
UL Temperature Code	1029F		

Product Data				
Order product name	CORE & COIL HID 71A8071001D			
EAN/UPC - Product	781087807118			
Order code	71A8071001D			
Local order code	190371			
Numerator - Quantity Per Pack	1			
Numerator - Packs per outer box	1			
Material Nr. (12NC)	913700556409			
Net Weight (Piece)	3.207 kg			

Dimensional drawing



HPS BAL 100W S54 QUAD KIT

Product	C1	C2	A1	A2	B1	B2
CORE & COIL HID 71A8071001D	3.45 in	2 in	3.9 in	3.5 in	2.8 in	2.4 in

