



# Centium T12HO

# CENTIUM ELE BALLAST (2) F96T12/HO 120-277V

No matter what the conditions require, operating at a variety of line voltages between 120V to 480V, whether located in high ambient temperature environments (requiring a 90° C rating) or not, our family of Philips Advance Centium ballasts are ideal for a wide variety of applications.

#### **Product data**

General Information					
Lamp Type	F96T12/HO				
Number of Lamps	1/2 piece/unit				
Ballast Type	Electronic Fluorescent				
Base Model	ICN2S110SC				
Suitable For Outdoor Use	Yes				
Automatic Restart	No				
Operating and Electrical					
Input Voltage	120 to 277 V				
Input Frequency	50 to 60 Hz				
Max THD	10 %				
Starting Method	Rapid Start				
Lamp Current Crest Factor (Nom)	1.7				
Ignition Time (Nom)	1 s				
Ballast Factor (Nom)	0.9				
Power Factor (Nom)	0.98				
Input Current (Operating) (Max)	1.64 A				
Input Current (Operating) (Min)	0.70 A				
Input Power (Nom)	191-186 W				
Rated Lamp Watts	110 W				

Wiring			
Color Input Terminals	No terminals		
Color Output Terminals	No terminals		
Wire Striplength	0.50/0.375 mm		
Lamp Connection	Series		
Wire Length By Color	See data sheet		
Wire Gauge (Nom)	18AWG mm		
Wire Type	Solid		
Remote Wiring Configuration Allowed	Yes		
Tandem Wiring Configuration Allowed	Yes		
Through Wiring Configuration Allowed	Yes		
Max Ballast-Lamp Distance Remote Wiring	20'		
Max Ballast-Lamp Distance Tandem Wiring	Red = 20'		
Max Ballast-Lamp Distance Through Wiring	Red = 20'		
Connector Type	No connector		
Temperature			
T-Case Maximum (Nom)	70 °C		
Mechanical and Housing			
Housing Material	Metal		
Housing	SC		


Datasheet, 2015, November 29 data subject to change

## Centium T12HO

Housing Dimensions	9.5" x 1.7" x 1.18"			
Approval and Application				
EMC Immunity Standard	FCC Non-Consumer			
Approbation Marks	CSA certificate UL certificate CEC Listing Circle E			
	logo CSA E DOE RoHS Compliant			
Sound Rating	A			
UL Recognized	No			
Product Data				
Order product name	CENTIUM ICN2S110SC35I			

EAN/UPC - Product	781087085288			
Order code	ICN2S110SC35I			
Local order code	199786			
Numerator - Quantity Per Pack	1			
Numerator - Packs per outer box	10			
Material Nr. (12NC)	913701212601			
Net Weight (Piece)	613.000 g			

## **Dimensional drawing**



ELE BALLAST (2) F96T12/HO 120-277V

Product	A1	A2	B1	C1
CENTIUM ICN2S110SC35I	9.5 in	8.90 in	1.7 in	1.18 in

