



SEALABLE COVER FOR DIRECTLY ATTACHABLE
CURRENT MONITORING RELAYS 3RR2 TO
PROTECT AGAINST UNAUTHORIZED CONFIGURING

General technical data:

product brand name		SIRIUS
Product designation		sealable end cover
Design of the product		to prevent unauthorized operation
Ambient temperature		
• during storage	°C	-40 ... +80
• during operation	°C	60 ... 60

Installation/ mounting/ dimensions:

Width	mm	33.3
Height	mm	4.5
Depth	mm	45

Certificates/ approvals:

General Product Approval			EMC	Declaration of Conformity	Test Certificates
 CCC	 CSA		 C-TICK	 EG-Konf.	Special Test Certificate

Test Certificates	Shipping Approval				
Type Test Certificates/Test Report	 ABS	 DNV	 GL	 LRS	 RINA

Shipping Approval
 RMRS

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrymall>

Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RR2940>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)


<https://support.industry.siemens.com/cs/ww/en/ps/3RR2940>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RR2940&lang=en



last modified:



27.04.2015