

ACTUATOR HEAD FOR POSITION SWITCH 3SE51/52 SPRING
 ROD TOTAL LENGTH 142.5MM; SPRING= 50MM,
 PLUNGER=50MM PLASTIC



Product designation	actuator head for position switch
Manufacturer's article number	3SE5000-0AR01
<ul style="list-style-type: none"> of the supplied actuator head for position switches 	
General technical data:	
Product function	No
<ul style="list-style-type: none"> positive opening 	
Protection class IP	IP65/IP67
Shock resistance	30 g / 11 ms
<ul style="list-style-type: none"> acc. to IEC 60068-2-27 	
Vibration resistance	0.35 mm/5g
<ul style="list-style-type: none"> acc. to IEC 60068-2-6 	
Mechanical service life (switching cycles)	10 000 000
<ul style="list-style-type: none"> typical 	
Equipment marking	T
<ul style="list-style-type: none"> acc. to DIN EN 61346-2 acc. to DIN EN 81346-2 	
Active principle	mechanical

Enclosure:

Coating of the enclosure Other types

Drive Head:

Shape of the switch head spring

Outer diameter of the switch head 6 mm

Communication/ Protocol:

Design of the interface without

Ambient conditions:

Ambient temperature


- during operation -25 ... +85 °C
- during storage -40 ... +90 °C

Installation/ mounting/ dimensions:

Mounting position any

Mounting type lockable plug-in fixing

Certificates/approvals

General Product Approval	Declaration of Conformity	Test Certificates	other		
 CSA	 UL		 EG-Konf.	spezielle Prüfbescheinigung <u>n</u>	Bestätigungen

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SE50000AR01>

Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SE50000AR01>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3SE50000AR01>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SE50000AR01&lang=en



last modified:

11.03.2016