Product data sheet Characteristics

QO312ML1 QO LOADCENTRE 3 PHASE 125A 12CCT MAIN LUGS

Product availability: Stock - Normally stocked in distribution facility





Main

IVIAIII	
Product or component type	Load Center
Range of product	QO
Load center type	Main lugs
Line Rated Current	125 A
Number of spaces	12
Number of circuits	12
Number of tandem circuit breakers	0
Phase	3 phases
System Voltage	120/240 V AC

Complementary

		y.
AWG gauge	AWG 4AWG 2/0 (aluminium/copper)	
NEMA degree of protection	NEMA 1 indoor	t
Cover type	Order separately	<u>.</u> .
Electrical connection	Lugs	
Device composition	Grounding bar (ordered separately)	
Electrical connection	Lugs	aubst.
Wiring configuration	4-wire	× × × × × × × × × × × × × × × × × × ×
Enclosure material	Welded sheet steel	
Box number	7	in the state of th
Product certifications	CSA	o
	UL listed	i

Ordering and shipping details

Category	00158 - CANADIAN 3-PH LOAD CENTERS
Discount Schedule	DE3

GTIN	00785901751052
Nbr. of units in pkg.	1
Package weight(Lbs)	11.15
Returnability	Y
Country of origin	US

Offer Sustainability

Sustainable offer status	Not Green Premium product	
RoHS (date code: YYWW)	Compliant - since 1248 - Schneider Electric declaration of conformity	
	Schneider Electric declaration of conformity	
REACh	Reference not containing SVHC above the threshold	
	Reference not containing SVHC above the threshold	
Product end of life instructions	Need no specific recycling operations	

Contractual warranty

Warranty period 18 months		
	Warranty period	18 months