




Catalog Number: A-24P24
Item Description: STEEL PANELS
UPC Code: 784572179462


Brand Name: Milbank
Type: Panel for Mounting Electronic Controls
Application: Enclosure Accessory
Material: Steel
Shape: Square
Color: White
Mounting: Stud Mount




Utility requirements may vary. Always consult the serving utility for their requirements prior to ordering or installing this equipment. This product must always be installed by a licensed electrician. Installation of this equipment may require local electrical inspector approval.




CATALOG NUMBER	MFG PART	FINISHED GOODS P/N	INSTALLED P / N	MATERIAL TYPE	FINISH
NONE	1002412	N / A	N / A	CRS	UNPAINTED (FORM PART)
A-24P24	1002412	1002422	N / A	CRS	PAINTED WHITE
A-24P24-GLV-NP	812913-SO	N / A	812913-SO	GALVANIZED STEEL	UNPAINTED
A-24 P24A	812913-AO	1008788	812913-AO	ALUMINUM	GRAINED
A-24P24S	812913-SS	1008790	812913-SS	TYPE 304 STAINLESS	GRAINED
A-24P24Z	812913-SZ	1096413	812913-SZ	TYPE 316 STAINLESS	GRAINED

Material:	12 GA SEE CHART FOR TYPE		 MILBANK MANUFACTURING CO.		General Offices: Kansas City, MO	
Finish:	SEE CHART					
Tolerances: Unless Specified Otherwise X.X ±.1 X.XX ±.03 X.XXX ±.015 X" ±2°			 Third Angle Projection		Title:	PANEL 24 x 24
Scale: NTS					Checked By:	Catalog No.:
Drawn By: DY			Approved By:	Customer:		
D			Date:		Drawing No.:	1002422
B2			8-29-02		Sheet	1 of 3

D	05/08/2014	UPDATED TO M2K, CHGD FROM PF TO 8F (eECR2819)	AJS	C	12/02/02	REVISED HOLE SIZE PER - PMR 2708	DY
B2	10/21/02	REVISED -NP SUFFIX PER - PMR 2700	DY	C1	4-23-03	REVISED CHART	DR



Material:	12 GA SEE CHART FOR TYPE	 MILBANK MANUFACTURING CO. General Offices: Kansas City, MO	
Finish:	SEE CHART	Title:	PANEL 24 x 24
Tolerances: Unless Specified Otherwise X.X ±.1 X.XX ±.03 X.XXX ±.015 X" ±2"		Catalog No.:	SEE CHART
 Third Angle Projection		Customer:	
Scale:		Drawing No.:	1002422
Drawn By:	DY	Date:	8-29-02
Checked By:		Sheet	2 of 3
Approved By:			

D	05/08/2014	UPDATED TO M2K, CHGD FROM PF TO 8F (eECR2819)	AJS	C	12/02/02	REVISED HOLE SIZE PER - PMR 2708	DY
B2	10/21/02	REVISED -NP SUFFIX PER - PMR 2700	DY	C1	4-23-03	REVISED CHART	DR

