

## Service Entrance Ells



### Use:

Service entrance ells are used to gain access to the interior of a raceway for wire pulling, inspection and maintenance.

- Listed for Use in Wet Location

### Materials

- Die-Cast Aluminum

### Certification

UL E121488    SB LR57925

### Standards

UL 514B  
CSA C22.2 No. 18  
NEMA FB-1  
NEC Articles 345 & 346

# RIGID CONDUIT


Catalog Number	UPC No 0-87115	Trade Size	Nominal Dimensions			Ctn/Case Qty/Qty	Case Wt.
			A	B	C		

### Boxed

500	75005-1	1/2"	3.15	1.19	1.45	38	8.0
501	75010-5	3/4"	3.57	1.52	1.77	36	8.0
502	75015-0	1"	4.18	1.75	1.97	12	6.0
503	75020-4	1 1/4"	5.39	2.19	2.44	12	11.5
504	75025-9	1 1/2"	6.10	2.36	2.44	10	10.0
505	75030-3	2"	6.61	2.87	2.93	4	5.5
503-XL	71035-2	1 1/4" XL	7.83	2.48	2.95	5	6.0
505-XL	71040-6	2" XL	9.92	3.13	3.58	5	14.0

\*XL Denotes Extra Long

## Mogul Conduit Bodies (Type LB)



### Use:

Mogul conduit bodies are used to gain greater access to the interior of a raceway for wire pulling, inspection and maintenance where the raceway changes direction.

- Assembled with Cover and Gasket
- Meets NEC 6x Requirement
- Listed for Use in Wet Locations

### Materials

- Die-Cast Aluminum

### Certification

UL E121488    SB LR57925

### Standards

UL 514B  
CSA C22.2 No. 18  
NEMA FB-1  
NEC Article 345 & 346

# RIGID CONDUIT

Catalog Number	UPC No 0-87115	Trade Size	Nominal Dimensions			Ctn/Case Qty/Qty	Case Wt.
			A	B	C		

### Boxed

603-MOG	28396-2	1 1/4"	9.61	2.51	2.78	2	3.8
604-MOG	28397-9	1 1/2"	14.48	3.24	5.31	1	4.9
605-MOG	28398-6	2"	14.48	3.24	5.34	1	4.5

# RIGID CONDUIT

## Threaded Aluminum Conduit Bodies

### Use:


Conduit bodies are used to gain access to the interior of a raceway for wire pulling, inspection and maintenance where the raceway changes direction.

- Assembled with Cover and Gasket

### Materials

- Die-Cast Aluminum

### Certification

 E121488

 LR57925

 **E208392**





### Standards

UL 514B

CSA C22.2 No. 18

NEMA FB-1

NEC Article 345 & 346



Catalog Number	UPC No 0-87115	Trade Size	Nominal Dimensions			Pcs/ Unit	Ctn/Case Qty/Qty	Case Wt.
			A	B	C			

### Boxed LB Type

600-CG	72205-8	1/2"	4.30	1.30	2.40	-	10/100	29.4
601-CG	72210-2	3/4"	5.00	1.50	2.60	-	10/50	22.0
602-CG	72215-7	1"	5.80	1.80	2.90	-	5/25	15.7
603-CG	72220-1	1 1/4"	7.80	2.50	3.70	-	2/10	12.9
604-CG	72225-6	1 1/2"	7.80	2.50	3.90	-	2/10	13.2
605-CG	72230-0	2"	9.80	3.20	4.70	-	1/5	13.4
606-CG	72231-7	2 1/2"	5.80	1.80	2.90	-	1	5.80
607-CG	72232-4	3"	7.80	2.50	3.70	-	1	6.00
608-CG	72233-1	3 1/2"	7.80	2.50	3.90	-	1	9.33
609-CG	72234-8	4"	9.80	3.20	4.70	-	1	10.3

### Boxed LR Type

100-CG	72305-5	1/2"	4.40	2.10	1.60	-	10/100	31.8
101-CG	72310-9	3/4"	5.10	2.30	1.90	-	10/50	21.0
102-CG	72315-4	1"	5.80	2.50	2.10	-	5/25	17.5
103-CG	72320-8	1 1/4"	7.80	3.40	2.90	-	2/10	15.0
104-CG	72325-3	1 1/2"	7.80	3.40	2.90	-	2/10	14.1
105-CG	72330-7	2"	9.90	4.00	3.70	-	1/5	13.1
106-CG	71241-7	2 1/2"	5.80	2.50	2.10	-	1	5.71
107-CG	71246-2	3"	7.80	3.40	2.90	-	1	6.33
108-CG	19163-2	3 1/2"	7.80	3.40	2.90	-	1	11.2
109-CG	71256-1	4"	9.90	4.00	3.70	-	1	10.2

### Boxed LL Type

200-CG	72405-2	1/2"	4.40	2.10	1.60	-	10/100	30.6
201-CG	72410-6	3/4"	5.10	2.30	1.90	-	10/50	21.0
202-CG	72415-1	1"	5.80	2.50	2.10	-	5/25	16.8
203-CG	72420-5	1 1/4"	7.80	3.40	2.90	-	2/10	15.0
204-CG	72421-2	1 1/2"	7.80	3.40	2.90	-	2/10	13.8
205-CG	72422-9	2"	9.90	4.00	3.70	-	1/5	14.4
206-CG	19622-4	2 1/2"	5.80	2.50	2.10	-	1	5.71
207-CG	19623-1	3"	7.80	3.40	2.90	-	1	6.83
208-CG	19624-8	3 1/2"	7.80	3.40	2.90	-	1	11.0
209-CG	21007-4	4"	9.90	4.00	3.70	-	1	10.3

### Boxed T Type

700-CG	72605-6	1/2"	4.80	2.10	1.60	-	10/100	32.0
701-CG	72610-0	3/4"	5.50	2.30	1.90	-	10/50	21.7
702-CG	72615-5	1"	6.20	2.50	2.10	-	5/25	14.6
703-CG	72616-2	1 1/4"	8.30	3.40	2.90	-	2/10	17.5
704-CG	72625-4	1 1/2"	8.30	3.40	2.90	-	2/10	15.8
705-CG	72630-8	2"	10.20	4.00	3.70	-	2	5.50
706-CG	19566-1	2 1/2"	6.20	2.50	2.10	-	1	6.00
707-CG	19567-8	3"	8.30	3.40	2.90	-	1	6.50
708-CG	19568-5	3 1/2"	8.30	3.40	2.90	-	1	12.6
709-CG	19569-2	4"	10.20	4.00	3.70	-	1	10.6

### Boxed C Type

300-CG	72505-9	1/2"	4.80	1.30	1.60	-	10/100	30.6
301-CG	72510-3	3/4"	5.50	1.50	1.90	-	10/50	21.3
302-CG	72515-8	1"	6.20	1.80	2.10	-	5/25	16.6
303-CG	72520-2	1 1/4"	8.30	2.50	2.90	-	2/10	15.0
304-CG	72525-7	1 1/2"	8.30	2.50	2.90	-	2/10	13.8
305-CG	15704-1	2"	10.20	3.20	3.70	-	1/5	12.5
306-CG	15684-6	2 1/2"	6.20	1.80	2.10	-	1	5.66
307-CG	15690-7	3"	8.30	2.50	2.90	-	1	6.33
308-CG	15696-9	3 1/2"	8.30	2.50	2.90	-	1	10.7
309-CG	15704-1	4"	10.20	3.20	3.70	-	1	9.67

### Boxed X Type

400-CG	72630-8	1/2"	4.75	1.30	1.60	-	10/100	37.1
401-CG	72631-5	3/4"	5.50	1.50	1.90	-	10/50	27.0
402-CG	72632-2	1"	6.20	1.80	2.10	-	5/25	17.9
403-CG	72633-9	1 1/4"	8.30	2.50	2.90	-	2/10	13.6
404-CG	72634-6	1 1/2"	8.30	2.50	2.90	-	2/10	13.6
405-CG	72635-0	2"	10.20	3.20	3.70	-	2	4.86

## Threaded Malleable Iron Conduit Bodies

# RIGID CONDUIT

Catalog Number	UPC No 0-87115	Trade Size	Nominal Dimensions			Pcs/ Unit	Ctn/Case Qty/Qty	Case Wt.
			A	B	C			

### Boxed LB Type

M600	15800-0	1/2"	4.30	1.30	2.40	-	10	7.1
M601	15801-7	3/4"	5.00	1.50	2.60	-	10	9.7
M602	15802-4	1"	5.80	1.80	2.90	-	10	14.3
M603	15803-0	1 1/4"	7.80	2.50	3.70	-	10	28.7
M604	15804-8	1 1/2"	7.80	2.50	3.90	-	10	33.2
M605	15805-0	2"	9.80	3.20	4.70	-	5	26.7

### Boxed LR Type

M100	15830-6	1/2"	4.40	2.10	1.60	-	10	7.1
M101	15831-2	3/4"	5.10	2.30	1.90	-	10	10.0
M102	15832-8	1"	5.80	2.50	2.10	-	10	15.7
M103	15833-4	1 1/4"	7.80	3.40	2.90	-	10	33.2
M104	15834-7	1 1/2"	7.80	3.40	2.90	-	10	34.5
M105	15835-3	2"	9.90	4.00	3.70	-	5	31.3

### Boxed LL Type

M200	15820-8	1/2"	4.40	2.10	1.60	-	10	7.6
M201	15821-0	3/4"	5.10	2.30	1.90	-	10	9.5
M202	15822-2	1"	5.80	2.50	2.10	-	10	13.8
M203	15823-9	1 1/4"	7.80	3.40	2.90	-	10	30.9
M204	15824-6	1 1/2"	7.80	3.40	2.90	-	10	33.2
M205	15825-3	2"	9.90	4.00	3.70	-	5	24.9

### Boxed T Type

M700	15840-2	1/2"	4.80	2.10	1.60	-	10	11.1
M701	15841-8	3/4"	5.50	2.30	1.90	-	10	13.7
M702	15842-4	1"	6.20	2.50	2.10	-	10	19.6
M703	15843-0	1 1/4"	8.30	3.40	2.90	-	10	33.2
M704	15844-3	1 1/2"	8.30	3.40	2.90	-	10	36.8
M705	15845-9	2"	10.20	4.00	3.70	-	2	13.3

### Boxed C Type

M300	15810-9	1/2"	4.80	1.30	1.60	-	10	9.8
M301	15811-6	3/4"	5.50	1.50	1.90	-	10	11.8
M302	15812-3	1"	6.20	1.80	2.10	-	10	17.0
M303	15813-0	1 1/4"	8.30	2.50	2.90	-	10	30.9
M304	15814-7	1 1/2"	8.30	2.50	2.90	-	10	36.8
M305	15815-4	2"	10.20	3.20	3.70	-	5	27.6

### Boxed X Type






M400	15860-4	1/2"	5.44	2.81	1.75	-	10	13.9
M401	15861-1	3/4"	6.06	2.94	2.00	-	10	17.2
M402	15862-8	1"	7.13	3.56	2.25	-	10	24.7
M403	15863-5	1 1/4"	9.13	4.44	2.56	-	10	41.6
M404	15864-2	1 1/2"	9.13	4.44	2.75	-	10	46.3
M405	15865-0	2"	11.75	5.38	3.44	-	2	16.7

### Stamped Steel Covers

			LENGTH	WIDTH	THICKNESS			
SSC-1	15850-8	1/2"	3.88	1.31	0.25	-	25/250	23.5
SSC-2	15851-4	3/4"	4.63	1.50	0.31	-	25/250	31.3
SSC-3	15852-0	1"	5.31	1.75	0.31	-	10/100	18.8
SSC-4	15853-6	1 1/4"-1 1/2"	7.19	2.50	0.38	-	25	7.80
SSC-5	15854-9	2"	9.50	3.19	0.50	-	25	12.5

### Neoprene Gaskets

			LENGTH	WIDTH				
NG-1	33627-9	1/2"	3.88	1.31	-	2500	27.0	
NG-2	33628-6	3/4"	4.69	1.56	-	1000	13.0	
NG-3	33629-3	1"	5.38	1.75	-	500	11.0	
NG-4	33626-2	1 1/4"-1 1/2"	7.31	2.50	-	500	19.5	
NG-5	33630-9	2"	9.50	3.13	-	125	11.0	



### Use:

Conduit bodies are used to gain access to the interior of a raceway for wire pulling, inspection and maintenance where the raceway changes direction.

\*2 1/2" - 4" Available upon request except "X" type.

### Materials

- Malleable iron
- Raised Dome Stamped Steel Covers
- Neoprene Gaskets

### Certification

UL E121488    SR LR57925

### Standards

UL 514B  
CSA C22.2 No. 18  
NEMA FB-1  
NEC Article 345 & 346

RIGID CONDUIT