







5/16" MOUNTING HOLE (3X)
 3 CIRCUIT 70 AMP LOAD CENTER
 50 AMP. BREAKER 2-POLE



14-50R
 50AMP.
 RECEPTACLE



KNOCKOUT TABLE:

S = 1/2", 3/4", 1", 1-1/4", 1-1/2" KO
G = 1/2", 3/4", 1" KO

WIRE RANGE TABLE:

CONNECTOR	COPPER		ALUMINUM	
	SOLID	STRAND	SOLID	STRAND
LINE	14-8	14-2	12-8	12-2
LOAD	-----	-----	-----	-----
NEUTRAL END HOLE	14-8	14-2	12-8	12-2
NEUTRAL SIDE HOLE	14-8	14-4	12-8	12-4
EQUIP. GRND.	12-8	12-2	12-8	12-2

SH15

MIDWEST ELECTRIC PRODUCTS, INC. Mankato, MN 	* = Critical To Quality		AutoCad Generated		TITLE: U054C OUTLINE DRAWING
	Dr. By: JDE Ck. By: CR: R0814112	Unless Otherwise Specified Tolerances On: 3 Pl. Decimals ± .010 2 Pl. Decimals ± .030 Fractions ± 1/32 Angles ± 1/2° Holes ± .003 Dimensions Are In Inches	SCALE 1 : 1	SIZE 	
					DWG NO: 265A6213

Rev.1 CR R0814112 JE 2-18-08