

ELLWOOD

Ceiling mounted • Dry location listed

Description:

A picture of modern design, the functional minimalism of the Ellwood 68" ceiling fan is a product of advanced design. Five long and graceful blades made of carved wood move air with remarkable efficiency. A remote with batteries is included – and controls full range dimming and fan speed capabilities. Ellwood also has a reversible motor that can be accessed via a manual switch.

Specifications:

- Antique Bronze (-20) (painted)
- Steel construction
- 68" 5 Blade Fan
- Oversized, textured die cast hanger ball reduces noise and wobble vibrations
- Mounting hardware is included
- Canopy covers a standard 4" octagonal recessed outlet box
- 80" of wire supplied
- Walnut blades, carved wood construction
- 17 degree blade pitch
- Full Function Remote Included
- A 3/4" x 4-1/2" downrod is included. Longer accessory downrods can be ordered separately. Triple capacitor speed control
- Airflow: 7587 CFM*
- Energy consumption: 90 watts (excluding lights)*
- Airflow efficiency: 84 cfm/watt*
- * Fan on a downrod

Performance:

Input Voltage	120 V
Warranty	Limited Lifetime warranty
Labels	UL Dry location listed

P2546-20


Images:



Dimensions:

Diameter: 68"

Height: 15.7"




Photometrics:

P2546-20

ELECTRICAL DATA	P350024-020-30
Input Voltage	120 V
Input Frequency	60 Hz
Input Current	
Input Power	25
Power Factor	
THD	<20%
EMI Filtering	
Operating Temperature	to 30° C
Dimming	Yes*
Over-voltage, over-current, short-circuit protected	
*See Dimming Notes for more information	

P350024-020-30

LED Light Engine: 3000 K 90+ CRI
 System Wattage: 25
 Fixture delivered lumens: 1770
 Fixture Efficacy: 70
 Spacing Criteria:



ZONAL LUMEN SUMMARY

P2546-20**Dimming Notes:**

P2546 is designed to be compatible with many controls.

The following is a partial list of known compatible dimmer controls.

Dimming Controls

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation. Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.

Dimmer control brand names where identified above are trade names or registered trademarks of each respective company.