

Rittal – The System.

Faster – better – everywhere.

Side panel, lockable for TS, TS IT – DK 7824.208

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Side panel, lockable for TS, TS IT – DK 7824.208

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Description:	Locates easily into place at the top. Locked with security lock no. 3524 E. Grounding bolts with contact lug.
Material:	Carbon steel
Surface finish:	Spray-finished
Color:	RAL 7035
Supply includes:	2 side panels each with 4 security locks no. 3524 E

Product features

Suitable for:	Enclosure type: TS Enclosure type: TS IT Height: 2000 mm (79 ") Depth: 800 mm (31 ")
Packaging unit:	2 pc(s).
Weight/packaging unit:	39.6 kg (87.3 lb.)
EAN:	4028177232419
Customs tariff number:	94039010
ETIM 6.0:	EC002524

ETIM 5.0:	EC002524
eCl@ss 8.0/8.1:	27182101
eCl@ss 7.0/7.1:	27182101
eCl@ss 6.0/6.1:	27182101
eCl@ss 5.1/5.1.4:	27182101
Product description (long):	DK Side panel, For TS, TS IT, lockable, HxD: 2000x800 mm, RAL 7035