



Outdoor Extension Cords



- ▶ Outdoor Rated Polarized Tri-Tap Extension Cords
- ▶ Clear Ends with Tri-Tap Female Block
- ▶ Features a Power Indicator Light in the female receptacle
- ▶ Grounded
- ▶ Jacket Compound is more flexible and abrasion resistant at any temperature than standard vinyl compounds
- ▶ Flexible to -40°F
- ▶ 14/3 & 12/3 SJTW Wire Type
- ▶ 125Volt

Cat. No.	Wire Gauge/ Conductors	Amps	Length	Box Qty
89300	14/3	15	25 Ft	12
89301	14/3	15	50 Ft	6
89302	14/3	13	100 Ft	3
89303	12/3	15	25 Ft	12
89304	12/3	15	50 Ft	6
89305	12/3	15	100 Ft	4

Cold Weather Extension Cords



- ▶ Outdoor Cold Weather Rated Polarized Tri-Tap Extension Cords
- ▶ Clear Ends with Tri-Tap Female Block
- ▶ Features a power indicator light in the female receptacle
- ▶ Grounded
- ▶ Bright blue jacketed cords with Plugs/Receptacles that resist deterioration from moisture, abrasion and extended exposure to sunlight
- ▶ Designed for use in cold environments - Flexible to -58°F
- ▶ 14/3 & 12/3 SJTW Wire Type
- ▶ 125Volt

Cat. No.	Wire Gauge/ Conductors	Amps	Length	Box Qty
89306	14/3	15	25 Ft	12
89307	14/3	15	50 Ft	6
89308	14/3	13	100 Ft	4
89309	12/3	15	25 Ft	12
89310	12/3	15	50 Ft	6
89311	12/3	15	100 Ft	4

Generator Power Cord Sets



- ▶ 20Amp & 30Amp Cord Sets are designed for use with manual transfer switches, transfer panels, and power inlet boxes
- ▶ One Piece molded Cord/Plugs
- ▶ L14 Twist Lock Male/Female Receptacles
- ▶ 300 Volt SJTOW Rubber Cord
- ▶ -30°F (-34°C) Outdoor Use & Oil Resistant

Cat. No.	Amps	Size	Length	NEMA#	Max Gen Input	Box Qty
89342	20	12/4	10 Ft	L14-20	5 KW	16
89344	20	12/4	20 Ft	L14-20	5 KW	10
89346	20	12/4	40 Ft	L14-20	5 KW	5
89348	30	10/4	10 Ft	L14-30	7.5 KW	10
89350	30	10/4	20 Ft	L14-30	7.5 KW	6
89352	30	10/4	40 Ft	L14-30	7.5 KW	3