



## I. Product Description

**CRC Rust Remover** is a safe, effective, fast acting formula. Removes rust, not metal. **CRC Rust Remover** leaves metal clean and ready to paint, plate or powder coat. No heavy wire brushing or sand blasting required. **CRC Rust Remover** removes only the rust and will not damage metal surfaces.

## II. Applications

Recommended for use on rusted steel or iron. Removes rust from tools, engine components, machine parts, fasteners, or any part that can be safely submerged in the liquid.

## III. Features & Benefits

- **Removes Rust Quickly.** No heavy wire brushing or sand blasting required.
- **Safe Acid Technology.** Not harmful to skin.
- **Non-Corrosive.** Safe to use on all metals.
- **Non-Flammable.**
- **No special equipment is necessary.** Parts are simply submerged in the solution.
- **No heavy fumes or bad odors.**
- **Zero VOC.**
- **Shipping Description – Packing Group III**

## IV. Physical Properties

Flash Point	None	Prop 65	No
Odor	Slight odor	Solubility	Soluble in water
Appearance	Yellow Liquid	Specific Gravity	1.03
Vapor Density	>1 (air = 1)	Boiling Point	212°F (initial)
VOC Content (Fed) (Wt. %)	0	% Solids	7.3
Sara Title III, Sect. 313 Chemicals	None	pH	0.5-1.5

## V. Directions

**Directions: Read entire label before using this product.**

- Remove dirt, grease, oil and other contaminants.
- Fully submerge item in CRC Rust Remover.
- Light surface rust will require a soaking time of 5-30 minutes.
- Moderately rusted parts will require a soak time of 1-2 hours.
- Heavily rusted parts will require a soak time of 2 hours - overnight (check periodically).
- Once rust has been removed from parts, rinse with water and treat parts with a CRC corrosion inhibitor immediately if they are not going to be painted, plated or powder coated right away.
- Apply in temperatures between 50°F to 90°F.
- Store product between 46°F to 100°F.

## VI. Package Description

Part Number	Container Size
18420	1 Quart Bottle
18421	1 Gallon Bottle

## VII. Disposal

Disposal requirements vary by state and local jurisdiction. All used and unused product should be disposed of in conformance with local, state and federal regulations.

**DISCLAIMER:** This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. All products should be tested for suitability on a particular application prior to actual use. CRC Industries makes no representations or warranties of any kind concerning this data.

CRC Industries  
Technical Service: (800)521-3168

Industrial Products Division  
Customer Service: (800)272-4620

Warminster, PA 18974  
CRC On-Line: (215)442-6260