

PRODUCT DATA SHEET

Perma-Mend™ UV Curable Repair Patch Part Number: 14096



Light activated fiberglass reinforced self adhesive repair

patch.

Applications

Repair of tanks, pipes, roofs, steps, switch boxes, radiators, mufflers, bumpers, boat bodies. Can be used on any wood, metal, glass, ceramic, concrete and plastic

surface.

Unit Package Description

9" x 12" Patch

Brand

CRC

Generic Description 1

Repair Patch

Net Fill

9" x 12"

UPC Code

078254140964

Unit Dimensions

9H x 12W

Units Per Case

12

Case Dimensions

2.25H x 11.5W x 15.75D in

Cases Per Pallet

50

Case Weight

10 lbs

I 2 of 5 Code

30078254140965

Appearance

Grey Sheet Lamination

Flash point (F)

840°F

Flash point (C)

449°C

Flammability Class - CPSC

None

Plastic Safe

Yes

Curing Time

5 Minutes (Sunny),50 Minutes (Cloudy)

Dielectric Strength

9 kV/mm

Working Temp (F)

-40 to 392°F

Working Temp (C)

-40 to 200°C

DOT Proper Shipping Name

Not Regulated

VOC % (Federal)

0.6

VOC g/L (Federal)

Not Determined

Last revised: 6/17/2016

Page 1 of 2



Customer Care: 800-556-5074 Technical Assistance: 800-521-3168 www.crcindustries.com





PRODUCT DATA SHEET



VOC Lbs./Gal. (Federal)
VOC Category

Not Determined Not Regulated

Last revised: 6/17/2016

Page 2 of 2



Customer Care: 800-556-5074 Technical Assistance: 800-521-3168 www.crcindustries.com CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.

CRC*, K&W*, Sta-Lube*, Marykate* and

CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.